



# Suicide Prevention Resource Guide Greater New Brunswick and Middlesex County

### **Risk Factors**

Research has found that 46% of people who die by suicide had a known mental health condition. Other risks are:

- > A family history of suicide
- Substance abuse. Drugs can create mental highs and lows that worsen suicidal thoughts.
- Intoxication. More than a third of the people who die from suicide are under the influence of alcohol at the time of death.
- > Access to firearms
- > A serious or chronic medical illness
- Gender. Although more women than men attempt suicide, men are nearly 4 times more likely to die by suicide.
- > A history of trauma or abuse
- > Prolonged stress/ recent tragedy or loss

# Help Lines and Resources

New Jersey Hopeline: **855-654-6735**; Send text to **njhopeline@ubhc.rutgers.edu** (available 24/7)

National Suicide Prevention Lifeline: 800-273-8255

1-800-SUICIDE National Hotline: 800-784-2433

The Trevor Project (LGBTQ Crisis Hotline): **866-488-7386** 

Middlesex County Adult Acute Psychiatric Services Hotline: **732-235-5700** 

Somerset County Psychiatric Emergency Screening Services: **908-526-4100** 

Crisis Text Line. Text HOME to 741741

## Warning Signs

- Expresses feelings of hopelessness, helplessness or worthlessness
- > Talks about wanting to die, "wishing" one were dead
- > Withdraws from family and friends
- Loses interest in activities once enjoyed
- > Neglects personal appearance or hygiene
- Increases use of alcohol or drugs
- > Talks about being a burden to others
- Engages in reckless behaviors
- > Recent obsession with guns and knives
- Gives away prized possessions
- Exploring ways to commit suicide, such as searching for methods online or buying a gun.
- > Changes in a person's sleeping habits



### How to Approach a Suicide Crisis

- Talk openly and honestly. Don't be afraid to ask questions like: "Do you have a plan for how you would kill yourself?"
- Remove items that would assist a suicide such as guns, knives or stockpiled pills
- Calmly ask simple and direct questions, like "Can I help you call the helpline or your behavioral health provider?"
- If there are multiple people around, have one person speak at a time
- > Express support and concern
- > Don't argue, threaten or raise your voice
- > Don't debate whether suicide is right or wrong
- > If you're nervous, try not to fidget or pace



#### Additional Resources:

Behavioral Health Referral and Resource Guide: Greater New Brunswick and Middlesex County, 2019 Edition at: http://rwjms.rutgers.edu/BehavioralHealthGuide/

Navigating a Mental Health Crisis: A NAMI resource guide for those experiencing a mental health emergency, 2018 at: https://www.nami.org/Support-Education/Publications-Reports/Guides/Navigating-a-Mental-Health-Crisis?Navigating-A-Mental-Health-Crisis?utm\_source=website&utm\_medium=cta&utm\_campaign=crisisguide

www.nami.org/Learn-More/Mental-Health-Conditions/Related-Conditions/Risk-of-Suicide

http://www.njhopeline.com/

suicidepreventionlifeline.org/

This guide was created by the Behavioral Health Workgroup, co-sponsored by Rutgers Robert Wood Johnson Medical School and Healthier Middlesex, a project of Robert Wood Johnson University Hospital and Saint Peter's University Hospital in New Brunswick, NJ.



